





**Organics Simplified** 



















**Dr Jone Hawea**Associate Director FRIEND.

Bula Vinaka! Before you read and use this organic booklet I would like to share with you – WHY it is so important to READ IT and

TRY IT OUT for yourself.

This Booklet is about - Your health, the Health of your family and the Protection of Food and Water sources for you and your family - for now and the future.

As a Doctor I feel it is very important for you to know that:

Our Food today is causing a lot of illnesses like Cancer, Diabetes, Heart Attacks and Strokes and lots of other diseases because of the many unseen, manmade chemicals present in the food we are eating and drinking.

Many of these unseen chemicals come from the sprays used in farms, storage rooms and containers to kill unwanted insects (pesticides) and unwanted or overgrown grass and bushes (weedicides).

These unseen chemicals may be used by farmers, farm labourers, middle man buyers, market vendors, food manufacturers and food exporters

These unseen chemicals not only get into our food, it affects the soil, kills other useful insects and plants and seeps into the rivers and streams affecting fish and other water species.

Many farmers who spray these chemicals do not wear protective materials to protect their skin, eyes, noses and any other exposed body parts, allowing these unseen chemicals to enter their body. Some spray these chemicals close to roads and homes where other people are; especially children and they also get exposed without knowing.

These unseen chemicals come in very strong and dangerous amounts and mixes that your body's inner systems get confused and reacts badly enough to start illnesses. If these chemicals are repeatedly eaten, over time, then the body's natural repair systems breakdown and Diseases take over.

Prevention is better than Cure so you and I can reduce the use of these chemicals and help each other remain healthy and eat fresh, safe and chemical free food.

That is why we have made this booklet – to show how you can deal with unwanted insects in your farms, without harming your health or anyone else's.

As an added benefit we have included ways to manage grass and bushes so they add to the nutrition and health value of your crops as they naturally do.

We have tried the methods ourselves and it works!! And we have used all natural and available (in Fiji) materials that are also cheap and safe to use.

I encourage everyone that has a backyard garden or a farm to try these methods. Feel free to use other materials that you may know of that we don't and PLEASE tell us about it and let us share this very useful knowledge with each other. (Our contacts are supplied with the booklet)

Lets start Healthy farming, Healthy eating and help each other Stay Healthy and Happy!!

## Who we are

he Foundation for Rural Integrated Enterprises & Development (FRIEND) is a homegrown community development Organisation headquartered in Lautoka on the west coast of Fiji's main island. Viti Levu.

The hallmark of FRIEND's work is the integrated approach it brings into community development, working with communities in rural and underserved regions around Fiji. Through its integrated social, health and economic interventions, FRIEND empowers communities through knowledge, skills and resources to improve their lives and break out of poverty. With the support of donor partners and through its own funding, FRIEND engages Communities in Programs focussed on Good Governance, Sustainable Livelihoods, Disaster Preparedness and Healthy Living, targeting women, youths, marginalised and men in each community we work in for sustainable development.

Food Systems and health

Our GROW (Agriculture) program is about creating sustainable and organic farms for Food Security, livelihood and Health. We encourage the use of natural methods to fertilise the soil, manage soil water needs, manage weeds and deal with pests.

We discourage the use of any form of artificial chemicals in any of the methods mentioned because evidence has proven that these chemicals especially weedicides (chemicals that kill grass and unwanted plants) and pesticides (chemicals that kill unwanted insects and small organisms) directly cause Cancer or are highly likely to cause cancer in agriculture based communities.

The International Agency for Research on Cancer (IARC) of the World health Organisation (WHO) has identified chemicals like Glyphosate and Orthene as highly likely to cause cancer. Both these two chemicals are heavily used in Fiji by farmers, farm labourers, road and railway maintenance labourers

and market vendors

Other International Research organisations in Health, Food and Nutrition, Agriculture and Environment have provided the latest findings of how diseases like Diabetes Mellitus are caused by Endocrine Disrupting Chemicals in Food and water Sources. This means that the heavy usage of artificial chemicals (pesticides, weedicides, growth enhancing) on crops and livestock are causing problems with the body's hormones and hormonal systems, therefore, leading to the development of the many diseases with unclear causes and incurable complications like Diabetes (2nd highest killer in Fiji), Cancer (3rd highest killer in Fiji) and other Non Communicable Diseases burdening our already struggling families, Health System and our National Economy.

To achieve good health and sustainable livelihoods for our families and communities we recommend, encourage and practice organic agriculture. Developing countries like Cuba, Nepal and India have successfully grown organically for home use and commercial purposes. We Can too!

Organic agriculture uses natural ingredients for soil strengthening and pest management improving biodiversity. Biodiversity means a range of plant and animals live together without harming food production. We encourage bee farming for pollination and honey provides a source of income. Free range poultry can provide food security and income but also natural manure and assist with pest management like caterpillar infestation.

Farmers are encouraged to grow a wide range of resilient varieties of crops to meet nutrition and food security needs of their families and supply demand that comes from the market. Where there is surplus FRIEND provides training in solar drying of local fruits and root crops and other staple to make gluten free flour for food security and the market. Farmers are also encouraged to generate seeds from healthy fruits by drying and storing these appropriately. Interested farmers in each community form peer groups to work together to encourage each other and ensure that there is consistency in organic practices for sustainable markets.

# What is Organic Agriculture for us in Fiji and the Pacific?

rganic Agriculture is using farming, harvesting, preservation and storage methods that will ensure that food is grown, eaten or sold without using chemicals that will harm human health, the soil, other non-farm plants and animal species, waterways or pollute the air.

There are recognized rules and standards that make sure these methods are continuously followed by everyone - farmers, vendors, middle - men, buyers, manufacturers etc. So food remains healthy and the environment is protected.

Those who practice organic farming are trained on these methods, rules and standards and get internationally recognized organic certificates. To maintain the certificate they have to consistently follow the organic methods, rules and standards. In the Pacific organic growers are guided by the Pacific Organic Standard. FRIEND uses Pacific Organic Standards when in partnership with farmers.

The Pacific Organic Standard is developed specifically for Pacific farmers, in recognition of the unique context of the forms, styles, and methods

of farming in the Pacific Islands and gives farmers, processors and consumers' confidence that they are helping preserve healthy lifestyles for all the people involved in organic agriculture. Pacific Organic Standard was developed by Pacific Organic & Ethical Trade Community (POETCom) Standards and Certification Committee and is recognized by the International Federation of Organic Agriculture Movement (IFOAM). POETCom is housed in the Land Resource Division of the Secretariat of Pacific Community (SPC).

## **Importance of Soil Health**

griculture relies on healthy soils. Just like our physical bodies, when plants have good nutrition they are able to fight diseases. Soil in our natural forests are very fertile due to layers of diverse plants, root systems that hold soil from erosion and natural composting from leaves and bugs that die.

Traditionally when our forefathers dug their root crop, they used to bury the parts not used back in the soil to compost and there was planting of diverse crops in one plot.

In Fiji we have many natural components that can provide soil health. Composts can be developed from leaves, fruit peelings, bones and sea food remains, sea weed and other biodegradable (able to rot naturally) matter. Seaweed and fish bones make for very rich calcium based fertiliser. Green manure, various types of creeping legumes help retain soil moisture and provide nitrogen to the plants. Fiji is very fortunate to have a wide range of leguminous plants from edible beans to Gliricidia and saijan (moringa). Saijan leaves when soaked in water for two weeks, and sprayed on newly planted seeds, speeds up the growing of healthy seedlings.

Animal manure like poultry and cattle waste can be used if they are well decomposed. Countries like India collect cattle urine ( rich in urea) from dairy sheds, store for two weeks, then use one part of the substance with 4 parts of water to fertigate (fertilise +irrigate) with urea as well as repel pests.

Grass management is an important part of agriculture. Where grass is not a nuisance, it should be left to dry naturally during dry spells. Grass helps cover and protect the soil from direct sunlight, assisting in retaining soil structure and moisture. Taller reeds can be cut and spread in the fields to curb overgrowth or unwanted growth of grass. Total removal of grass through spraying and burning leaves the soil prone to dryness during dry spells and erosion of the top organic rich layer during heavy rainfall.

Mulching is a method used by our forefathers and is highly promoted in organic agriculture also. To mulch is to spread the already cut or rotting grass, leaves or branches around the root/stem of crops. This

prevents grass from growing, maintains moisture in the soil and when fully rotten will immediately add manure for the plants/crops.

Intercropping of a variety of crops and crowd planting can also be used for grass management. By planting different crops together, side by side, or crowding the same crop will not allow any unwanted grass in between to receive sunlight, thereby reducing its growth altogether.

Here are some simple tips that we use for improving soil health. Many of these may not have pleasant smells but are harmless when inhaled and are surely good for our plants ③ It is important to use knapsack sprayers that have not been contaminated with chemical sprays. Always use protective gear while preparing or spraying the following.

## **Organic Soil Improvement Practices**

#### **Poultry liquid Manure**

Materials	Method of Preparation	How to use	Soil improvement
To make your own poultry liquid manure:  1/2 Bag Poultry manure 55L drum Empty sack Wooden lid 20L water	Steps in making your own poultry manure:  Prepare a 55L drum Fill the poultry manure in the sack and tie. Fill 20L of water in the drum and put a stone on top of the sack to keep the sack of manure underwater. Cover the manure with a lid. It will take 3 weeks for the liquid manure to be ready.	Using a knapsack sprayer:  • Add 1L of mix  • Add 4L of water  • Mix well and spray in gardens or farms.  • Spray on young plants for 1 -6 weeks.	Chicken liquid manure is a great source of nitrogen and other nutrients, and can quickly perk up a plant that needs a shot of nitrogen.

#### **Ash Fertilizer**

Materials	How to use	Soil im
Collection of ash from your fire place.	Wood ash fertilizer is best used either lightly scattered or by first being composted along with the rest of your compost. This is because wood ash will produce lye and salts if it gets wet. In small quantities, the lye and salt will not cause problems, but in larger amounts, the lye and salt may burn your plants.	Wood asl lime and Using asl many trac need to the useful for the wood pests like soft bodie

provement h is an excellent source of potassium for your garden. hes in the garden provides ce elements that plants hrive. Wood ash is also r pest control. The salt in d ash will kill bothersome e snails, slugs and some ed worm-like organisms.

#### Gliricidia (bainicagi) & Saijan (moringa) Manure

Materials	Method of Preparation	How to use	Soil improvement
To make liquid manure, you will need:  200L drum  5kg gliricidia leaves (bainicagi) or 5kg saijan (moringa) leaves or both  100L Water For planting in the farm borders:  Saijan and glyricidia cutting	Steps in making the liquid manure:  Chop 5kg of glyricidia leaves and saijan(moringa)leaves and add into the drum.  Fill the drum with 100L of water and stir.  Stir every 2 weeks to encourage aerobic fermentation.  Manure will be ready after 2 months.	Using your knapsack sprayer:  • Add 1L of liquid manure  • Add 4L water.  • Mix and spray on the plants.  Also cuttings for saijan and gliricidia plants can be planted on the farms borders as leaves will be good nutrient supplement to the organic farm.	The liquid fertilizer will promote the growth and development of healthy crops due to its efficient uptake and also develops tolerance to pest attacks, as the liquid also has insecticidal and fungicidal properties.  The liquid fertilizer also can be applied to the soil directly, if necessary.  Gliricidia and saijan leaves applied as mulch improves nutrient availability and yield.

#### **Compost Tea**

Materials	Method of Preparation	How to use	Soil improvement
Making compost tea:  • ¼ bucket of decomposed compost manure.  • 20L water	Steps in making your own compost tea:  • Soak the ¼ compost in a full bucket of water  • Leave the mixture overnight	Using a knapsack sprayer:  Add 1L of water  Add 1L of the compost tea.  Spray on the seed bed and organic farms.	When sprayed on the leaves, compost tea helps suppress foliar diseases, increases the amount of nutrients available to the plant, and speeds the breakdown of toxins.

#### **Seaweed Manure**

Materials	Method of Preparation	How to use	Soil improvement
Making seaweed manure tea:  1 bag of any seaweed  55L drum  20L water	Steps to make manure:  Collect and wash the seaweed to remove access salt, chop into pieces.  Pack the seaweed in a sack and put the sack of sea weed in a drum.  Soak the bag of seaweed in 20L of water.  Leave the mixture for 2 weeks then it's ready for application.	Using knapsack sprayer:  • Add 1L compost tea  • Add 2L water  • Spray on the seed beds and organic farms.	Seaweed is reported to have 60 trace minerals and ready-to-use nutrients including nitrogen, potassium, phosphate, and magnesium. It also contains hormones to encourage plant growth. Unlike other manure, seaweed does not need to decomposed before being beneficial to your garden.

## **Developing a Compost**

Materials	Method of Preparation	How to use	Soil improvement
What you will need: Spade Fork Food peelings Green leaves Soil Water You can also add poultry / cattle / goat / horse manure	Steps in making your compost:  • Dig a compost pit with 1m x 1m and ½ metre deep.  • Add food peelings into the pit then green leaves. ( you can also compost poultry, cattle, horse manure)  • Add soil and water the compost.  • Turn the compost every week to allow the center of the pile to heat up and promotes maximum bacterial activity.  • It will take 3 months for compost to be ready, if it's turned frequently.  Note: Soil is to cover the compost from food flies and rodents. Keep compost moist.	Add compost to cultivated land before planting.     Dig and add around plant beds.	Compost is rich in nutrients and improves the fertility of your soil, making plants healthier. It's a virtuous cycle for your soil. Food gets grown, consumed, and then the scraps go into your compost pile or bin. Later, the finished compost is used to nourish the soil again

### **Green Manure**

Materials	Method of Preparation	Benefits	Types of Beans
Planting green manure in your organic farm: Cowpea beans Guar beans Mung bean (Vigna radiata) Flat bean	Beans can be intercropped in farms with the other crops. It is a beneficial crop that a farmer can grow together other crops in the same piece of land	Green manure, in the case of legumes, fix nitrogen and contribute to farm nitrogen needs.  Green manure or legumes help discourage the growth of weeds.	

#### **Fish Meal Manure**

Materials	Method of Preparation	How to use	Soil improvement
You will need:  • Fish meal waste  • Water  • 10L bucket  • Water	Steps to make your manure:  • Add fish meal waste in the bucket  • Add 10L of water and close the bucket lid.  • Leave the mixture for 1 month. Frequently stir the mixture every week.	To use in organic farms:  • Add 1L of the fish meal.  • Add 2L of water  • Spray in organic farms once a week.	Fish fertilizer improves soil health and fertility by providing the primary nutrients necessary for plants to thrive.

## **Pest Management**

THE FIJI TIMES —SATURDAY, JUNE 3, 2017

of methods are used for pest twice a week application however Resilient crops like rosella, lemon remedies that have worked for us. management. Beneficial bugs gradually the need of spraying gets grass, basil, saijan etc can be used. You can also use noni, mother or are encouraged example lady birds significantly reduced when your as a strong barrier crop to ensure herbs, various types of basil and any which feed on crop-damaging gardens have found its own balance. spraying or bugs from other farms variety of medicinal plants to create aphids, mealy bugs and other A constant vigil must be maintained doesnot have direct impact on your your mix. Don't forget to share your destructive insect pests. Chemical and any infestation must be sprayed farm. Multi cropping or a variety of trial results with us. sprays kills good and bad bugs. immediately. It's important that any colours, heights and smells (herbs/ Many of the herbal remedies repel diseaseed plant be totally removed aromatic plants) may naturally

Tn organic farm systems a variety pests. Initial infestations may require and not be added to compost. manage pests. Here are simple

#### <u>Lemongrass</u> Plant parts used: Leaves, roots Mode of action: Insecticidal, repellent

Materials	Method of preparation	How to use	Target pests
Lemongrass extract (Stoll, 2000: p. 171) 4kg of ground lemongrass 16 litres of water	Soak the ground lemongrass in water for overnight then strain.	Spray onto lettuce, tomatoes, and carrots	Leaf blight  Bacticidal
Lemongrass, chili,bitterwood extract (Stoll, 2000: p. 176) Whole plant of lemongrass Chili pods Bitterwood(waiwiwi) leaves 4 ml of soap Mortar and pestle Strainer Basin	Pound required amount of each plant to get the extract. 5-7 tbsp of plant juices are needed from each plant.  Mix the all the plant juices.	Dilute the mixture of plant juices with 4 litres of water. Spray on infested plants thoroughly, preferably early in the morning or late in the afternoon.	Rice pests
Lemon grass, Cocoa, chillie, tobacco and Tinospora (drauniwadali)extract (Stoll, 2000: p. 176) 25 kg of lemongrass 25 kg of fresh cocoa leaves 1 kg of chillies 10 kg of tobacco leaves 5 kg of Tinospora Drum Soap Knife	Chop these plant materials. Put into a drum full of water. Set aside for 1 month to allow fermentation.	Dilute 1 litre of stock solution with 10-12 litres of water Add soap. Stir well. Spray on infested plants thoroughly.	Most agricultural pests

#### <u>Papaya</u>

Materials

Papaya leaf extract

Plant parts used: Leaves, seeds, unripe fruit Mode of action: Repellent, insecticidal, rodenticidal, fungicidal (Sridhar; et. al., 2002: p. 34) **Formulation** 

Method of preparation How to use

Soak shredded leaves

in 100 ml of water.

Let it stand overnight.

Squeeze the extract

Pound the leaves.

into the water.

Strain.

Add pounded leaves

Leave to stand for 2

Stir vigorously.

using Muslin cloth.

(Sridhar; et. al., 2002: p. 34) 50 grams of finely shredded papaya leaves 8-12 ml of soap Muslin cloth Pail Water
Papaya water extract  (Stoll: p. 143) 1 kg of papaya leaves 10 litres of water Mortar and pestle Soap Strainer Pail

Spray on the target

Dilute the extract with

Spray thoroughly on

2-3 litres of water.

Add soap.

Stir well.







Plant pests

Coffee rust

Mosaic virus

Leafy caterpillars

Common names: Red pepper, Hot pepper, Chillie-pepper Scientific name: Capsicum annum, C. frutescens Family: Solanaceae

Plant parts used: Fruit, seeds Mode of action: Insecticidal, repellent

	Mode of action: Inso Formulations	Mode of action: Insecticidal, repellent Formulations		
:	Materials	Method of preparation		
	All- purpose insect pest spray  16 tsp powdered red hot pepper  16 garlic bulb  10 small onion  16 litre of water  16 tbsp of soap  Knife  Strainer  Basin/pail	Chop onion and garlic. Add powdered red pepper. Mix the above ingredients into the water. Soak for 1 hour. Strain. Add soap. Stir well.		
	Chillie spray (HDRA, 2000)  4 cups of ripe hot peppers / chillies or 5 cups of chillie seeds 30 grams of soap Cooking pot Strainer	In a pot, boil ripe pods or chillie seeds for 15-20 minutes. Remove water from fire after it boils and add 3 litres of water. Cool and strain. Add soap. Stir well.		
	Chillie, custard apple, neem extract  (Stoll, 2000: p. 109) 10-20 pieces of hot pepper 2-2.5 kg fresh neem leaves 20 litres of water 2 tbsp of powdered soap Mortar and pestle Basin/pail	Pound hot pepper and neem leaves. Add to 1 litre of water. Soak the mixture overnight Strain.		
	Chillie, custard apple, neem extract  (Stoll, 2000: p. 109) 12 pieces chopped hot chillie 200 grams fully dried and shelled neem seeds 4 litres of water Basin/pail Grinder Knife	Grind the neem seeds and soak in water and add the chopped hot chillie and let it stand overnight. Strain.		
	Chillie, custard apple, neem extract  (Sridhar; et. al., 2002: pp. 33-34) 25 grams of dried chillie pods	Grind dried chillies. Soak overnight in 100 ml of water. Soak crushed neem fruits over-night in 200 ml of water.		

100 grams of custard

50 grams of crushed

20 ml of soap water

Wide-mouth bottles

apple leaves

neem fruits

Grinder

How to use

Spray plants thoroughly. f no spraver is available, make soft straw brush and wet plants

with the extract. Repeat spraying

Add 20 litres of water

and The powdered

soap to the filtrate. Stir well.

Fill-in the sprayer. Spray on infested

Fill the sprayer

plants thoroughly

Add 5-6 litres of

Add soap water

Spray on infested

plant parts, preferabiy early morning

Stir well.

extracts.

leaves.

Strain.

solution.

Grind the custard

Add 500 ml of water

Mix all 3 in the



Target pests

Leaf eating pests









































#### <u>Cinnamon</u>

Plant part use: Cinnamon stick, Spice/ Powder Mode of action: Insecticidal, repellent

Formulation			
Materials	Method of preparation	How to use	Target pests
All purpose- insects pest. Empty water gallon Cinnamon powder	Mix 4 tbsp with half a gallon of water Shake it vigorously and let it sit for a few hours. Strain the liquid. Fill spray bottle with the liquids.	Spray the stems and foliage of any affected plants or Spread the left over residue around the base of the plants.	Nematodes Ants  Slugs Beetles.  Fungal disease Damping off Mould Phytophthora

## **Neem Leaves**

Plant parts used: Neem Leaves Scientific Name: Azadirachtaindica Mode of action: Insecticidal, fungicide **Formulation** 

Materials	Method of preparation	How to use	Target pests
20kg neem leaves 10 litres of water 20 full spoons of soap water	Crush and soak neem Leaves in 10 litres of water overnight.  Squeeze and soak neem leaves again to take out all neem juice.  Filter the leaves using fine cloth if using knapsack to Spray.  Add soap water to the neem solution so that it sticks to the surface of the plant leaves.	Apply neem pesticides to plants in the afternoon around 4.30pm	Aphids  Flea Beetle  Scale insects black moth  Nematodes.

## Coconut Oil and Water

Mode of action: Repels aphids and white flies

Formulation			
Materials	Method of preparation	How to use	Target pests
Coconut Oil –10ml Water – 10L Diluted soap –20 ml Knapsack sprayer. Measuring jar/ syringe	Thoroughly mix1 ml of coconut oil to 1 litre of water or 10ml to 10 litres of water. Add 20 ml of soap water (Soapy water enables the pesticide to stick to plant). Do not use Liquid detergents or axion.  2. Stir well, fill in a knapsack Sprayer, spray carefully below and above the leaves in the evening to avoid sun burning the leaves. The thin film of oil will slowly kill white flys. Repeat twice in a week till its clear. You will see marked difference after the first spray.	Spray the mixture in the afternoon to avoid the leaves of the crops from getting sun burnt. Apply oil mixture to both the lower and the upper side of the leaves for 3 weeks.	Aphids  White flies

#### **Kava**

Plant parts used: Left over Kava root after use (kosa) Scientific name: Piper methysticum **Rank: Species** 

Mode of action: Insecticidal, repellent

Formulations			
Materials Met	hod of preparation	How to use	Target pests
Cover the kosa with water in a tank  Strainer  Bucket  Strainer  Strainer	ak 1 kilo kava in tank for 1 month, sure water is above kosa mark.  er 1 month add four ts more water.  ain the liquids to the ket.	Fill the mixture in the spray tank. Apply the solution properly to the plant Apply twice if needed	Leaf eating pest Powdery mildew

#### <u>Layalaya / ginger</u>

Plant parts used: Layalaya/ginger root Scientific name: Zingiberofficinale Mode of action: Insecticidal, fungicidal **Formulations** 

Materials	Method of preparation	How to use	Target pests
10 kilo gram layalaya/ ginger  100 litre of water  2 litre soap water	Cut 10 kilo grams of layalaya into fine pieces.  Soak layalaya into 100 litre of water in the tank, and let it rot for 1month  After 1 month, scoop out 1 litre of the mix from the tank  Mix 4 litre water and 2 litre soap water together with the mix of layalaya/ginger.  Strain the liquid so it does not block the nuzzle of the spray tank.	Apply the solution to the top and bottom part of the plant leaves every morning for 3 weeks.	Aphids  Pod sucking bugs Mealy bugs  Spider mites

#### Standard procedures for the preparation and application of the plant

extracts Select plant parts that are free from diseases.

- 2. When storing the plant parts for future usage, make sure that they are properly dried and are stored in an airy container (never use plastic container), away from direct sunlight and moisture. Make sure that they are free from moulds before using them.

  3. Use utensils for the extract preparation that are not used for your
- food preparation and for drinking and cooking. Clean properly all the utensils every time after using them.
- Use protective gear to avoid direct contact with the crude extract during preparation and application.
- Keep plant extract out of reach of children and house pets while leaving it overnight.
- 6. Harvest all the mature and ripe fruits before plant extract application.
  7. Always test the plant extract formulation on a few infested plants
- first before going into large scale spraying. When adding soap as an emulsifier, use a potash-based one.
- Wear protective clothing while applying the extract.
- Wash your hands after handling the plant extract.

#### Effect on humans

- Extracts are possible irritants to sensitive skins or when used in strong concentration. Do not use on damaged skin.
- Chillie irritates nose, eyes, and skin.

Effect on non-target organisms

• When using chillies spray the pepper extract concentration is very strong, it can burn the leaves and eventually kill the plants.

#### References

#### External links

Fourthway. How to make plant tea. <a href="http://www.fourthway.co.uk/">http://www.fourthway.co.uk/</a> posters/pages/planttea.html

Brooklyn Botanic Garden. (2000): Natural disease control: A commonsense approach to plant first aid. Handbook # 164. Brooklyn Botanic Garden, Inc. 1000 Washington Avenue, Brooklyn, NY.

Ellis, B.; Bradley, F. (1996): The organic gardener's handbook of natural insect and disease control. Rodale Press. Emmaus, Pennsylvania.

 $UC\ IPM.\ Carrots.\ \underline{http://www.ipm.ucdavis.edu/PDF/PMG/pmgcarrot.}$ 

ICARDA. Field guide to lentil diseases and insect pests. Nematodes. http://www.icarda.cgiar.org/Publications/Field\_Guides/Lentil/Lent8.

The Society of Nematologists. List of exotic nematode plant pests. http://nematode.unl.edu/pesttable2.htm

CABI. (2001): Crop protection compendium. Global module, 3rd edition. CAB International Publishing. Wallingford, UK.

Gilberg, L. editor. (1993): Garden pests and diseases. Sunset books. Sunset Publishing Corporation, California.

Ploetz, R.; et. al. Editors. (1998): Compendium of tropical fruit diseases. APS Press, The American Phytopathological Society. Saint Paul, Minnesota, USA.

#### Foundation of Rural Intergrated Enterprise & Development

Tuvu, Kings Rd, Lautoka. Tel: 6663181 / 7773188 Fax: 6669181 Email: agriculture@friendfiji.com Website: www.friendfiji.com **Facebook: Foundation for Rural Enterprises & Development** 

